



**Preformed  
Thermoplastic**



125 MIL Catalog 2020

Marking the future with you



### Free training

Product training is available free of charge for all OPTAMARK® end users.

### No Pre-heating required

OPTAMARK® does not require the pavement to be preheated to a specific temperature prior to application. With no specific road or air temperature requirements, the pavement marking season can be extended.

### Interconnected

Interconnected material can be supplied.

### Special request?

OPTAMARK® is available in a wide range of sizes and colors. Call **770-847-9410** for pricing and information on items not listed.

[www.geveko-markings.us](http://www.geveko-markings.us)  
[sales@geveko-markings.us](mailto:sales@geveko-markings.us)

Lines	Description	Item Number	Size (W x L)	Linear Feet per Pack	Square Feet per Pack
	White Lines	9000205	4" x 2'	90 LF	30 SF
		9000010	4" x 3'	90 LF	30 SF
		9000141	5" x 3'	60 LF	25 SF
		9000012	6" x 3'	60 LF	30 SF
		9000321	8" x 2'	30 LF	20 SF
		9000014	8" x 3'	45 LF	30 SF
		9000015	12" x 3'	30 LF	30 SF
		9000286	16" x 3'	30 LF	40 SF
		9000236	18" x 3'	30 LF	45 SF
		9000018	24" x 3'	15 LF	30 SF
	Yellow Lines	9000011	4" x 3'	90 LF	30 SF
		9000013	6" x 3'	60 LF	30 SF
		9000080	8" x 3'	45 LF	30 SF
		9000016	12" x 3'	30 LF	30 SF
		9000019	24" x 3'	15 LF	30 SF

Arrows	Description	Item Number	Size (L x W)	Qty per Pack	
Figure 1	Straight Arrow Standard (FHWA/CALTRANS I)	9000022	9'10" x 3'3"	2	
Figure 2	Straight Arrow Elongated (FHWA)	9000122	12' x 1'8"	2	
Figure 3	Straight Arrow (CALTRANS I)	9000035	18' x 3'6"	2	
Figure 4	Straight Arrow Elongated (CALTRANS I)	9000037	24' x 3'6"	1	
Figure 5	Mini Turn Arrow - 90 mil	Left	9000723	5'6" x 4'2"	2
		Right	9000722	5'6" x 4'2"	2
Figure 6	Turn Arrow Standard (FHWA/CALTRANS IV)	Left	9000021	8'2" x 6'3"	2
		Right	9000020	8'2" x 6'3"	2
		Rev	9000032	8'2" x 6'3"	2
Figure 7	Turn Arrow Elongated (FHWA)	Left	9000120	12' x 3'	2
		Right	9000121	12' x 3'	2
		Rev	9000119	12' x 3'	2




Figure 1                      Figure 2                      Figure 3                      Figure 4



Figure 5                      Figure 6                      Figure 7

Arrows	Description		Item Number	Size (L x W)	Qty per Pack
Figure 8	Turn Arrow (CALTRANS III)	Rev	9000034	24' x 6'	1
Figure 9	Combi Left/Right Arrow (FHWA)		9001273	8' x 10'	1
Figure 10	Combi Arrow Standard (FHWA/CALTRANS VII)	Left	9000024	13'1" x 7'4"	1
		Right	9000023	13'1" x 7'4"	1
		Rev	9000047	13'1" x 7'4"	1
Figure 11	Combi Left/Straight/Right Arrow		9000129	13'2" x 11'6"	1
Figure 12	Combi Arrow Standard Elongated (FHWA)	Left	9000124	20' x 3'7"	1
		Right	9000125	20' x 3'7"	1
		Rev	9000123	20' x 3'7"	1
Figure 13	Combi Arrow (CALTRANS VII)	Rev	9000036	24' x 6'9"	1
Figure 14	U-Turn Arrow - Left	Left	9000127	10'4" x 7'9"	1




Figure 8

Figure 9

Figure 10

Figure 11



Figure 12

Figure 13

Figure 14

Arrows	Description	Item Number	Size (L x W)	Qty per Pack	
Figure 15	Exit Ramp (Wrong Way) Arrow (FHWA)	9000128	24'	2	
Figure 16	Lane Reduction Arrow (FHWA)	Rev	9000147	18' x 5'8"	1
Figure 17	Lane Reduction Arrow (CALTRANS VI)	Left	9000302	17'6" x 5'6"	1
		Right	9000303	17'6" x 5'6"	1
		Rev	9000038	17'6" x 5'6"	1
Figure 18	Roundabout Fish-Hook Arrow (FHWA)	9000148	20' x 8'7"	1	




Figure 15




Figure 16

Figure 17

Figure 18




Legends	Description	Item Number	Letter Height	Qty per Pack
R	R (FHWA)	9000098	6'6"	2
PED	PED (FHWA)	9000097	8'	1
BUS	BUS (FHWA)	9000052	8'	1
MPH	MPH (FHWA)	9000096	8'	1
STOP	STOP (FHWA)	9000029	8'	1
LANE	LANE (FHWA)	9000030	8'	1
KEEP	KEEP (FHWA)	9000067	8'	1
EXIT	EXIT (FHWA)	9000093	8'	1






Legends	Description	Item Number	Letter Height	Qty per Pack
LEFT	LEFT (FHWA)	9000094	8'	1
XING	XING (FHWA)	9000103	8'	1
BUMP	BUMP (FHWA)	9000390	8'	1
ONLY	ONLY (FHWA)	9000025	8'	1
EAST	EAST (FHWA)	9000256	8'	1
WEST	WEST (FHWA)	9000102	8'	1
NORTH	NORTH (FHWA)	9000255	8'	1
SOUTH	SOUTH (FHWA)	9000101	8'	1
SLOW	SLOW (FHWA)	9000100	8'	1
CLEAR	CLEAR (FHWA)	9000068	8'	1
AHEAD	AHEAD (FHWA)	9000057	8'	1
RIGHT	RIGHT (FHWA)	9000214	8'	1
MERGE	MERGE (FHWA)	9000095	8'	1
YIELD	YIELD (FHWA)	9000104	8'	1
SIGNAL	SIGNAL (FHWA)	9000058	8'	1
SLOW	SLOW - Yellow (CALTRANS)	9000040	8'	1
XING	XING - Yellow (CALTRANS)	9000041	8'	1
SCHOOL	SCHOOL - Yellow (CALTRANS)	9000039	8'	1
SCHOOL	SCHOOL (FHWA)	9000026	8'	1
		9000027	10'	1

Legends	Description	Item Number	Letter Height	Qty per Pack
	Railroad RXR (FHWA)	9000028	20' x 8'	1
	Railroad RXR - Narrow (FHWA)	9000105	20' x 6'6"	1
	HOV Designated Lane Symbol (FHWA)	9000149	13' x 3'3"	5
NO PARKING	NO PARKING (90 mil Series B)	9001065	12"	1
FIRE LANE	FIRE LANE (90 mil Series B)	9001272	12"	1

Letters and numbers	Description	Item Number	Height	Qty per Pack
ABC ...123 ...	Individual Letter or Number (90 mil Series B)	Unique item number for each design	6"	10
			12"	10
			24"	10
	4'		10	
	8'		5	
	10'		5	
	Individual Letter or Number FHWA			








Yield Markings	Description	Item Number	Size (W x L)	Qty per Pack
	Yield Line (Shark's Teeth) FHWA	9000082	12" x 18"	25
		9000083	16" x 24"	10
		9000060	24" x 36"	10
	Yield Ahead Triangle FHWA	9000084	6' x 13'	1
		9000085	6' x 20'	1
	Speed Hump Marking FHWA	9000086	6' x 6'	2

Handicap Markings* 90 MIL	Description	Color	Item Number	Size	Qty per Pack
	Blue Lines	Blue	9000078	4" x 3'	90 LF / 30 SF
	Handicap Symbol FHWA	White	9100017	28"	5
	Handicap Symbol White	White	9100038	39"	5
	Handicap Symbol FHWA	Blue	9100018	28"	5
	Handicap Kit FHWA	White/blue	9100019	40" x 40"	2
	Handicap Kit (CALTRANS)	White/blue	9100020	45" x 45"	2
	Handicap Kit	White/blue	9100021	48" x 48"	2
	Handicap Kit, White Border FHWA	White/blue	9100137	40" x 40"	2
	Handicap Kit, White Border (CALTRANS)	White/blue	9100672	36" x 36"	1






\*OPTATRAC® engineered to optimize traction and retroreflectivity













Interstate/US Shields*		Description	Color	Item Number	Size (W x L)	Qty per Pack
	Interstate Shield	Red/White/Blue			4' x 10'	1
	Interstate Shield FHWA	Red/White/Blue		Unique item number for each design	6' x 15'	1
	Interstate Shield	Red/White/Blue			8' x 20'	1
	Interstate Shield	Red/White/Blue			8' x 36'	1
	US Shield	Black/White			4' x 10'	1
					6' x 15'	1

Cardinal Directions*		Description	Color	Item Number	Size (W x L)	Qty per Pack
	Cardinal Direction - North	Blue/White	9100391		9' x 10'	1
		Black/White	9100514			
	Cardinal Direction - South	Blue/White	9100392		9' x 10'	1
		Black/White	9100515			
	Cardinal Direction - East	Blue/White	9100390		8' x 10'	1
		Black/White	9100516			
	Cardinal Direction - West	Blue/White	9100517		8' x 10'	1
		Black/White	9100518			

\*OPTATRAC® engineered to optimize traction and retroreflectivity

Border Contrast Lines	Description	Item Number	Size (W x L)	Linear/Square Feet per Pack
	Black Lines	9000160	4" x 3'	90 LF
		9000153	6" x 3'	60 LF
		9000162	12" x 3'	30 LF
		9000146	24" x 3'	15 LF
	White Lines with 1.5" Black Border	9000270	4" x 3'	45 LF
		9001278	5" x 3'	45 LF
		9001279	6" x 3'	30 LF
	White Lines with 3" Black Border	9000272	8" x 3'	30 LF
		9000792	12" x 3'	15 LF
		9001280	18" x 3'	15 LF
	Yellow Lines with 1.5" Black Border	9000269	4" x 3'	45 LF
		9001281	5" x 3'	45 LF
		9001282	6" x 3'	30 LF
	Yellow Lines with 3" Black Border	9000271	8" x 3'	30 LF

Border Contrast Legends	Description	Color	Item Number	Height	Qty per Pack
	Railroad FHWA RXR 3" Black Border	White/Black	9000275	20' x 8' (L x W)	1
	Railroad FHWA RXR Narrow - 3" Black Border	White/Black	9001283	20' x 6'6" (L x W)	1
	AHEAD 1.5" Black Border	White/Black	9001284	8'	1
	ONLY 1.5" Black Border	White/Black	9001285	8'	1
	SCHOOL 1.5" Black Border	White/Black	9001286	8'	1
	SCHOOL 1.5" Black Border	Yellow/Black	9001287	8'	1
	SCHOOL 1.5" Black Border	White/Black	9001288	10'	1
	XING 1.5" Black Border	White/Black	9001289	8'	1
	XING 1.5" Black Border	Yellow/Black	9001290	8'	1
	STOP 1.5" Black Border	White/Black	9001291	8'	1



Border Contrast Arrows	Description	Color	Item Number	Size (L x W)	Qty per Pack
Figure 20	Turn Arrow - Left 4" Black Border	White/Black	9000383	8'2" x 6'3"	1
Figure 21	Turn Arrow - Right 4" Black Border	White/Black	9001292	8'2" x 6'3"	1
Figure 22	Combi Arrow Standard Left - 4" Black Border	White/Black	9001293	12'9" x 7'6"	1
Figure 23	Combi Arrow Standard Right - 4" Black Border	White/Black	9001294	12'9" x 7'6"	1
Figure 24	Straight Arrow 4" Black Border	White/Black	9001295	9'6" x 3'4"	1




Figure 20

Figure 21








Figure 22

Figure 23









Figure 24





Block Contrast Panels*	Description	Color	Item Number	Size (W x L)	Qty per Pack
	ONLY	White/Black	9001296	8' x 9'	1
	AHEAD	White/Black	9001297	10' x 9'	1
	STOP	White/Black	9000794	8' x 9'	1
	Arrow Turn - Left	White/Black	9001298	8' x 9'	1
	Arrow Turn - Right	White/Black	9001299	8' x 9'	1

\*OPTATRAC® engineered to optimize traction and retroreflectivity












Bike Lane Symbols* 90 MIL	Description	Item Number	Size (L x W)	Qty per Pack
	Bicycle Symbol <sup>+</sup>	9100010	6' x 3'4"	5
	Bicycle Rider <sup>+</sup>	9100011	6'6" x 3'4"	5
		9100052	6' x 3'4"	5
		9100012	4' x 2'	5
		9100013	8' x 4'	2
	Shared Lane Symbol <sup>+</sup>	9100014	9'3" x 3'3"	2
		9100015	9'4" x 3'4"	2
	Bike Lane Straight Arrow	9100016	6' x 2'	2
		9100824	6' x 2'	5
		9100053	6' x 2'4"	2
	Bike Turn Arrow - Right	9100054	4'7" x 3'6"	2
	Bike Turn Arrow - Left	9100346	4'7" x 3'6"	2
	PED	9100216	4'	2

\*OPTATRAC® engineered to optimize traction and retroreflectivity  
<sup>+</sup>Right facing markings available on request.





Bike Lane Symbols* 90 MIL		Description	Item Number	Height	Qty per Pack
	BLVD	BLVD	9100319	4'	2
	BIKE	BIKE	9100140	4'	2
	LANE	LANE	9100139	4'	2
	ONLY	ONLY	9100486	4'	2
	STOP	STOP	9100810	4'	2
	XING	XING	9100475	4'	2
	Bike Loop Detector <sup>+</sup>	Bike Loop Detector <sup>+</sup>	9100098	3'7" x 12" (L x W)	5
	Pedestrian Symbol <sup>+</sup>	Pedestrian Symbol <sup>+</sup>	9100780	8'	2







Bike Lane Green Panels* 90 MIL		Description	Color	Item Number	Size (W x L)	Qty per Pack
	Bicycle Rider <sup>+</sup>	Bicycle Rider <sup>+</sup>	BLG/White	9100689	4' x 7'	1
	Bike Loop Detector <sup>+</sup>	Bike Loop Detector <sup>+</sup>	BLG/White	9100058	4' x 4'	1
	Bike Symbol <sup>+</sup>	Bike Symbol <sup>+</sup>	BLG/White	9100055	4' x 7'	1
	Bike Straight Arrow	Bike Straight Arrow	BLG/White	9100519	4' x 7'	1

\*OPTATRAC® engineered to optimize traction and retroreflectivity  
<sup>+</sup>Right facing markings available on request.


Bike Lane Green Panels* 90 MIL		Description	Color	Item Number	Size (W x L)	Qty per Pack
	Shared Lane Symbol+	BLG/White	9100051	4' x 10'	1	
	Bike Panel Kit+	BLG/White	9100050	4' x 20'	1	
	Bike Turn Left Arrow	BLG/White	9100621	4' x 7'	1	
	Bike Turn Right Arrow	BLG/White	9100622	4' x 7'	1	
	Bike Combi Turn Arrow Left	BLG/White	9100585	4' x 7'	1	
	Bike Combi Turn Arrow Right	BLG/White	9100586	4' x 7'	1	
	BIKE	BLG/White	9100520	4' x 7'	1	
	LANE	BLG/White	9100521	4' x 7'	1	
	ONLY	BLG/White	9100251	4' x 7'	1	
	STOP	BLG/White	9100490	4' x 7'	1	
	XING	BLG/White	9100491	4' x 7'	1	



\*OPTATRAC® engineered to optimize traction and retroreflectivity  
+Right facing markings available on request.

Bike Lane Green Linear (High Skid)	Description	Item Number	Size (W x L)	Linear Feet per Pack	Square Feet per Pack
	Green Lines 125 mil	9001442	4"x3'	90 LF	30 SF
	Green Lines 90 mil	900154	4"x3'	90 LF	30 SF
	Green Lines 125 mil	9001274	6" x 3'	60 LF	30 SF
	Green Lines 90 mil	9000155	6" x 3'	60 LF	30 SF
	Green Lines 125 mil	9000378	12" x 3'	30 LF	30 SF
	Green Lines 90 mil	9000156	12" x 3'	30 LF	30 SF
	Green Lines 125 mil	9000300	24" x 3'	15 LF	30 SF
	Green Lines 90 mil	9000054	24" x 3'	15 LF	30 SF



In-Lane RibLine Kit	Description	Color	Item Number	Size	Qty per Pack
	Single RibLine Kit (250 mil bar)	White	9000948	4" x 3' Base 2" x 3' Bar	12 Bases / 12 Bars
	Double RibLine Kit (250 mil bar)	White	9000949	8" x 3' Base 2" x 3' Bar	6 Bases / 12 Bars
	Single RibLine Kit (250 mil bar)	Black	9000264	4" x 3' Base 2" x 3' Bar	12 Bases / 12 Bars
	Double RibLine Kit (250 mil bar)	Black	9000709	8" x 3' Base 2" x 3' Bar	6 Bases / 12 Bars
	Single RibLine Kit (250 mil bar)	Black/White	9000369	4" x 3' Base 2" x 3' Bar	12 Blk Bases / 12 Wht Bars
	Double RibLine Kit (250 mil Bar)	Black/White	9000287	8" x 3' Base 2" x 3' Bar	6 Blk Bases / 12 Wht Bars








Center and Edge RibLine Kit		Description	Color	Item Number	Size	Qty per Pack
		RibLine Bar (250 mil)	White	9001165	2" x 11"	50
		RibLine Bar (250 mil)	Black	9000265	2" x 11"	50
		RibLine Base (125 mil)	White	9000760	4" x 12"	50
		RibLine Base (125 mil)	Black	9000266	4" x 12"	50





Electric Vehicle* 90 MIL		Description	Color	Item Number	Size (L x W)	Qty per Pack
		Electric Vehicle Pump w/Plug	White/blue	9100822	48" x 48"	1
		Electric Vehicle Pump w/Nozzle FHWA	White/blue	9100823	48" x 48"	1

\*OPTATRAC® engineered to optimize traction and retroreflectivity

Storm Drain Markings 90 MIL		Description	Item Number	Size (W x L)	Qty per Pack
		NO DUMPING DRAINS TO . . . (River, Creek, Bay, Ocean, Stream etc.)	Unique item number for each design	29" x 5"	15
	12" x 12"			15	



Adhesives	Description	Color	Item Number	Size (L x W)	Qty per Pack
	OPTABOND ST	Grey	9000055	8" x 8"	80
	OPTABOND	Black	9000056	5" x 5"	140
	OPTABOND	White	9000150	5" x 5"	140
	OPTABOND	Yellow	9000151	5" x 5"	140
	OPTABOND	Blue	9000152	5" x 5"	140

Accessories and Equipment	Description	Color	Item Number	Size	Qty per Pack
	QL2 Pro Heat gun		505692	-	1
	ChipFill®	Black	829841	26 lbs	26 lbs
	Geveko Sealer		201492	1 gallon	1 gallon
			201741	5 gallons	5 gallons
	Viaxi		303641	380 ml	380 ml

QL2 Pro Heat Gun 553,000 BTU head



QL2 Pro Heat Gun 319,000 BTU head





Preformed Thermoplastic



Preformed Thermoplastic



Decorative Crosswalks



Rumble Bars




Methyl Methacrylate (MMA)



Epoxy Modified Water Based Acrylic



Professional Heat Gun



Road Repair System

# Terms and Conditions of Sale

## **Price:**

Prices are subject to change without notice. Prices charged will be those stated when the order is accepted.

## **Acceptance:**

The Seller accepts Buyer's written product order upon Buyer's assent to the terms and conditions herein which constitutes the only binding contract terms and conditions between the parties in the absence of a written agreement accepted by an approved representative of Geveko Markings Inc.

## **Financial Responsibility:**

Sales shall at all times be subject to the approval of Seller's credit department and at anytime Seller may require evidence payment or satisfactory security or guaranty that invoices will be paid promptly when due. Terms on established credit accounts are net on presentation. If the Buyer fails to pay within terms and by the agreed date, Geveko Markings Inc. shall be entitled to interest from the day on which payment became due at the rate of minimum 1.5 % interest per month payable or maximum allowed by law.

## **Retention Of Title:**

The goods shall remain the property of Geveko Markings Inc. until paid for in full to the extent that such retention of title is valid under the applicable law.

## **Packaging:**

Prices quoted by Geveko Markings Inc. in offers and agreements shall, unless otherwise specified, be deemed to include our standard packaging.

## **Delivery And Freight Policy:**

Seller's products are sold F.O.B. shipping point and Seller's placement of such goods in the possession of a trucking company, railroad company or common carrier shall constitute delivery to the Buyer and all risk of loss in transit shall be the responsibility of the Buyer. Shipping dates are approximate and based on prompt receipt of all necessary information. If no trade term is specifically agreed our delivery shall be considered to be shipped F.O.B. the Geveko Markings Inc. warehouse in Gainesville, GA, unless otherwise stipulated.

## **Shipment Claims:**

All shipments must be inspected prior to acceptance and claims for loss or damage filed by the consignee with the carrier within five (5) days of delivery. Any claims of shortage must be based on complete inspection of the shipment and accompanying papers and reported to Seller in writing within five (5) days of receipt.

## **Returns:**

Product cannot be returned under any circumstance or for credit without the Seller's prior approval.

A restocking fee of 15% will be charged against any credit issued. All transportation costs will be paid for by the Buyer. Products can only be returned in mint condition and in original unbroken packaging.

## **Taxes:**

Buyer is liable for the full amount of all federal, state and local taxes applicable to or as a result of this transaction. The prices in this Price List do not include any federal, state or local taxes. The Buyer agrees to pay the amount of all such taxes at any time required by Seller, as if originally added to the price. If Seller pays such taxes Buyer shall reimburse Seller therefore.

## **Warranty:**

Geveko Markings Inc. warrants its products to the original Buyer against material defects for up to one year from the date of delivery of the products. The sole obligation of the Seller under this warranty is, at its discretion, to replace the material if the Seller determines that at the time of delivery the defect was present in the product. Altered products or those subjected to misuse or negligence are not covered under this warranty. It is understood that the Seller's and Manufacturer's limit of liability for all damages, including but not limited to, direct, incidental or consequential injury, loss or damage arising out of the use of the product or if the product cannot be used, shall be to provide an equal quantity of replacement material or to repair the defective product. It is the Buyer's responsibility to determine the suitability of the product for the intended use. The Buyer assumes all risk and liability in that regard.

